




# MANUFACTURING MEXICO,S.A.DE C.V.



## 6021 KOYO Single-row deep groove ball bearings

Bearing No. 6021

6021 Bearing 2D drawings and 3D CAD models

Size	105x160x26 mm
Bore Diameter	105 mm
Outer Diameter	160 mm
Width	26 mm
d	105 mm
D	160 mm
B	26 mm
C	26 mm
r min.	2 mm
da min.	114 mm
Da max.	151 mm
ra max.	2 mm
Weight	1,59 Kg
Basic dynamic load rating (C)	72,3 kN
Basic static load rating (C0)	65,8 kN
(Grease) Lubrication Speed	4000 r/min
(Oil) Lubrication Speed	4700 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.73
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## MANUFACTURING MEXICO,S.A.DE C.V.

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	105MM Bore; 160MM Outside Diameter; 26MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / LBS	3.50535
Outer Race Width	1.024 Inch   26 Millimeter
Outside Diameter	6.299 Inch   160 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Bore	4.134 Inch   105 Millimeter
Bearing No.	6021
r(min)	2
Cr	90.4
C0r	65.8
Cu	3.20
f0	15.8



## MANUFACTURING MEXICO,S.A.DE C.V.

Grease lub.	4000
Oil lub.	4700
da(min)	114
Da(max)	151
ra(max)	2
(Refer.)Mass(kg)	1.59